

ASSAY TABLE

TIBBS PROJECT - 2021 PHASE I HIGHLIGHT ASSAYS

| Hole ID | Zone | From (m) | To (m) | Width (m)* | Grade (g/t Au) |
|-------------------|------------------|--------------|--------------|-------------|----------------|
| TBDD21-001 | Michigan | 78 | 84.12 | 6.12 | 7.69 |
| <i>inc.</i> | | 82.9 | 84.12 | 1.22 | 33.92 |
| TBDD21-001 | Michigan | 121 | 129 | 8 | 1.07 |
| TBDD21-002 | Michigan | 23 | 27 | 4 | 1.21 |
| TBDD21-002 | Michigan | 131 | 136 | 5 | 1.81 |
| TBDD21-002 | Michigan | 163 | 167 | 4 | 1.09 |
| TBDD21-005** | Gray Lead | 37.64 | 40 | 2.36 | 5.88 |
| TBDD21-005 | Gray Lead | 50 | 54 | 4 | 3.65 |
| TBDD21-006 | Gray Lead | 21 | 27.89 | 6.89 | 5.67 |
| <i>inc.</i> | | <i>23.16</i> | <i>25.05</i> | <i>1.89</i> | <i>12.3</i> |
| TBDD21-007 | Gray Lead | 19.23 | 24.38 | 5.15 | 12.45 |
| <i>inc.</i> | | 21.14 | 22.4 | 1.26 | 41.39 |

*True widths are not known at this time. All widths reported are drilled widths. Results are reported with at 0.200 g/t Au cut off with a maximum of 1m of internal dilution. No top cap was applied.

** A 1.83m void was encountered immediately prior to the reported intercept. The void is believed to represent historically mined-out vein material.