

HoleID	From (m)	To (m)	SampleID	Interval_m	Au_ppm	Mo_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Ag_ppm
NWRB19-001	0	1.52	1619651	1.524	0.025	1	35	28	46	0.6
NWRB19-001	1.52	3.05	1619652	1.524	0.068	1	175	22	51	1.5
NWRB19-001	3.05	4.57	1619653	1.524	0.085	1	38	30	65	<0.05
NWRB19-001	4.57	6.1	1619654	1.524	0.332	2	230	91	30	4.9
NWRB19-001	6.1	7.62	1619655	1.524	0.099	4	238	177	51	5
NWRB19-001	7.62	9.14	1619656	1.524	0.03	2	120	45	84	1.1
NWRB19-001	9.14	10.67	1619657	1.524	0.078	4	143	56	81	1.3
NWRB19-001	10.67	12.19	1619658	1.524	0.167	5	97	35	117	0.7
NWRB19-001	12.19	13.72	1619659	1.524	0.326	2	47	28	116	<0.05
NWRB19-001	13.72	15.24	1619661	1.524	0.073	1	26	23	88	<0.05
NWRB19-001	15.24	16.76	1619662	1.524	0.036	1	27	25	94	<0.05
NWRB19-001	16.76	18.29	1619663	1.524	0.053	1	31	25	85	<0.05
NWRB19-001	18.29	19.81	1619664	1.524	0.068	4	51	47	148	0.9
NWRB19-001	19.81	21.34	1619665	1.524	0.067	1	60	25	71	<0.05
NWRB19-001	21.34	22.86	1619667	1.524	0.217	1	80	27	46	0.6
NWRB19-001	22.86	24.38	1619668	1.524	0.043	1	75	28	51	0.5
NWRB19-001	24.38	25.91	1619669	1.524	0.027	1	44	28	54	<0.05
NWRB19-001	25.91	27.43	1619671	1.524	0.12	1	30	22	45	<0.05
NWRB19-001	27.43	28.96	1619672	1.524	0.041	1	38	22	43	<0.05
NWRB19-001	28.96	30.48	1619673	1.524	0.066	1	32	26	38	<0.05
NWRB19-001	30.48	32	1619674	1.524	0.109	1	37	28	42	<0.05
NWRB19-001	32	33.53	1619675	1.524	0.232	1	24	27	51	<0.05
NWRB19-001	33.53	35.05	1619676	1.524	0.091	1	60	24	40	0.5
NWRB19-001	35.05	36.58	1619677	1.524	0.082	1	47	21	40	0.5
NWRB19-001	36.58	38.1	1619678	1.524	0.127	1	102	24	35	1.3
NWRB19-001	38.1	39.62	1619679	1.524	0.273	1	116	38	117	1.1
NWRB19-001	39.62	41.15	1619681	1.524	0.054	1	32	27	70	0.7
NWRB19-001	41.15	42.67	1619682	1.524	0.044	1	76	31	60	1.2
NWRB19-001	42.67	44.2	1619683	1.524	0.122	1	67	48	133	1
NWRB19-001	44.2	45.72	1619684	1.524	0.039	1	53	83	260	2.5
NWRB19-001	45.72	47.24	1619685	1.524	0.034	1	36	27	50	<0.05
NWRB19-001	47.24	48.77	1619686	1.524	0.068	1	53	22	42	<0.05
NWRB19-001	48.77	50.29	1619687	1.524	0.022	1	61	24	39	<0.05
NWRB19-001	50.29	51.82	1619688	1.524	0.048	1	44	24	36	<0.05
NWRB19-001	51.82	53.34	1619689	1.524	0.03	1	60	24	45	0.6
NWRB19-001	53.34	54.86	1619691	1.524	0.032	1	45	24	37	0.5
NWRB19-001	54.86	56.39	1619692	1.524	0.028	1	46	20	35	<0.05
NWRB19-001	56.39	57.91	1619693	1.524	0.018	1	22	32	50	<0.05
NWRB19-001	57.91	59.44	1619694	1.524	0.029	1	41	25	49	<0.05
NWRB19-001	59.44	60.96	1619695	1.524	0.025	1	94	21	37	0.7
NWRB19-001	60.96	62.48	1619696	1.524	0.02	1	69	21	43	<0.05

HoleID	From (m)	To (m)	SampleID	Interval_m	Au_ppm	Mo_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Ag_ppm
NWRB19-001	62.48	64.01	1619697	1.524	0.016	1	48	26	46	0.5
NWRB19-001	64.01	65.53	1619698	1.524	0.02	1	45	29	52	<0.05
NWRB19-001	65.53	67.06	1619701	1.524	0.046	1	32	27	45	<0.05
NWRB19-001	67.06	68.58	1619702	1.524	0.053	1	43	30	49	<0.05
NWRB19-001	68.58	70.1	1619703	1.524	0.051	1	36	30	47	<0.05
NWRB19-001	70.1	71.63	1619704	1.524	0.074	1	30	33	53	<0.05
NWRB19-001	71.63	73.15	1619705	1.524	0.031	1	36	22	34	<0.05
NWRB19-001	73.15	74.68	1619706	1.524	0.027	28	38	23	35	<0.05
NWRB19-001	74.68	76.2	1619707	1.524	0.072	4	66	25	45	0.6
NWRB19-001	76.2	77.72	1619708	1.524	0.042	3	49	27	44	<0.05
NWRB19-001	77.72	79.25	1619709	1.524	0.034	1	62	27	47	0.7
NWRB19-001	79.25	80.77	1619711	1.524	0.016	1	31	36	54	<0.05
NWRB19-001	80.77	82.3	1619712	1.524	0.018	1	27	25	45	<0.05
NWRB19-001	82.3	83.82	1619713	1.524	0.02	2	35	28	52	<0.05
NWRB19-001	83.82	85.34	1619714	1.524	0.009	1	18	37	62	<0.05
NWRB19-001	85.34	86.87	1619715	1.524	0.02	1	20	29	50	<0.05
NWRB19-001	86.87	88.39	1619716	1.524	0.051	2	37	59	77	0.9
NWRB19-001	88.39	89.92	1619717	1.524	0.016	1	26	98	137	0.8
NWRB19-001	89.92	91.44	1619718	1.524	0.008	1	23	32	60	<0.05
NWRB19-001	91.44	92.96	1619719	1.524	0.012	2	20	36	65	<0.05
NWRB19-002	0	1.52	1619721	1.524	0.048	1	52	132	299	1.5
NWRB19-002	1.52	3.05	1619722	1.524	0.01	1	19	32	81	<0.05
NWRB19-002	3.05	4.57	1619723	1.524	0.013	1	30	31	65	<0.05
NWRB19-002	4.57	6.1	1619724	1.524	<0.005	1	45	27	50	0.6
NWRB19-002	6.1	7.62	1619725	1.524	0.008	1	39	29	64	0.7
NWRB19-002	7.62	9.14	1619726	1.524	0.012	1	58	25	49	<0.05
NWRB19-002	9.14	10.67	1619727	1.524	<0.005	1	31	25	48	<0.05
NWRB19-002	10.67	12.19	1619728	1.524	0.015	1	80	24	49	<0.05
NWRB19-002	12.19	13.72	1619729	1.524	0.012	1	38	25	59	<0.05
NWRB19-002	13.72	15.24	1619731	1.524	0.022	1	40	27	58	<0.05
NWRB19-002	15.24	16.76	1619732	1.524	0.023	1	119	23	72	1.6
NWRB19-002	16.76	18.29	1619734	1.524	0.022	1	79	30	112	2.9
NWRB19-002	18.29	19.81	1619735	1.524	0.034	1	63	27	95	0.8
NWRB19-002	19.81	21.34	1619736	1.524	0.023	1	60	26	92	0.7
NWRB19-002	21.34	22.86	1619737	1.524	0.035	1	32	25	102	<0.05
NWRB19-002	22.86	24.38	1619738	1.524	0.027	1	28	28	103	<0.05
NWRB19-002	24.38	25.91	1619739	1.524	0.021	1	42	22	78	<0.05
NWRB19-002	25.91	27.43	1619741	1.524	0.104	1	80	23	37	0.5
NWRB19-002	27.43	28.96	1619742	1.524	0.072	1	44	20	38	<0.05
NWRB19-002	28.96	30.48	1619743	1.524	0.051	1	46	30	78	<0.05
NWRB19-002	30.48	32	1619744	1.524	0.154	1	56	24	45	<0.05
NWRB19-002	32	33.53	1619745	1.524	0.035	1	66	39	56	0.8

HoleID	From (m)	To (m)	SampleID	Interval_m	Au_ppm	Mo_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Ag_ppm
NWRB19-002	33.53	35.05	1619746	1.524	0.036	1	33	25	53	<0.05
NWRB19-002	35.05	36.58	1619747	1.524	0.051	1	40	24	37	<0.05
NWRB19-002	36.58	38.1	1619748	1.524	0.071	1	46	18	43	<0.05
NWRB19-002	38.1	39.62	1619749	1.524	0.027	2	97	15	35	1
NWRB19-002	39.62	41.15	1619751	1.524	0.035	1	55	21	33	<0.05
NWRB19-002	41.15	42.67	1619752	1.524	0.043	1	49	14	33	<0.05
NWRB19-002	42.67	44.2	1619754	1.524	0.054	1	49	17	38	<0.05
NWRB19-002	44.2	45.72	1619755	1.524	0.063	4	60	17	35	<0.05
NWRB19-002	45.72	47.24	1619756	1.524	0.028	1	76	19	42	1.2
NWRB19-002	47.24	48.77	1619757	1.524	0.049	1	37	21	54	<0.05
NWRB19-002	48.77	50.29	1619758	1.524	0.118	3	77	38	51	1.6
NWRB19-002	50.29	51.82	1619759	1.524	0.039	2	70	19	39	0.6
NWRB19-002	51.82	53.34	1619761	1.524	0.037	1	50	18	49	<0.05
NWRB19-002	53.34	54.86	1619762	1.524	0.09	4	344	46	77	11.9
NWRB19-002	54.86	56.39	1619763	1.524	0.031	2	24	25	69	<0.05
NWRB19-002	56.39	57.91	1619764	1.524	0.021	1	46	118	165	<0.05
NWRB19-002	57.91	59.44	1619765	1.524	0.032	3	51	80	177	0.7
NWRB19-002	59.44	60.96	1619766	1.524	0.012	2	48	104	173	0.7
NWRB19-002	60.96	62.48	1619768	1.524	0.045	3	157	34	212	1.4
NWRB19-002	62.48	64.01	1619769	1.524	0.013	3	97	23	191	<0.05
NWRB19-002	64.01	65.53	1619771	1.524	0.106	1	81	24	90	2.6
NWRB19-002	65.53	67.06	1619772	1.524	0.066	1	95	21	103	0.8
NWRB19-002	67.06	68.58	1619773	1.524	0.056	2	45	22	95	<0.05
NWRB19-002	68.58	70.1	1619774	1.524	0.017	3	33	20	58	<0.05
NWRB19-002	70.1	71.63	1619775	1.524	0.072	1	54	22	49	0.6
NWRB19-002	73.15	74.68	1619776	1.524	0.044	2	139	20	54	<0.05
NWRB19-002	74.68	76.2	1619777	1.524	0.236	2	157	75	37	8.7
NWRB19-002	76.2	77.72	1619778	1.524	0.032	3	62	22	62	<0.05
NWRB19-002	77.72	79.25	1619779	1.524	0.008	3	62	21	122	0.6
NWRB19-002	79.25	80.77	1619781	1.524	0.13	11	79	22	102	2.6
NWRB19-002	80.77	82.3	1619782	1.524	0.019	1	128	20	220	1.1
NWRB19-002	82.3	83.82	1619783	1.524	0.019	1	62	25	111	<0.05
NWRB19-002	83.82	85.34	1619784	1.524	0.084	1	76	29	81	1.4
NWRB19-002	85.34	86.87	1619785	1.524	0.035	2	41	27	151	<0.05
NWRB19-002	86.87	88.39	1619786	1.524	0.017	1	29	20	54	<0.05
NWRB19-002	88.39	89.92	1619787	1.524	0.021	1	20	19	45	<0.05
NWRB19-002	89.92	91.44	1619788	1.524	0.009	6	10	23	44	<0.05
NWRB19-002	91.44	92.96	1619789	1.524	0.025	3	16	16	46	<0.05
NWRB19-002	92.96	94.49	1619791	1.524	0.023	2	29	19	57	<0.05
NWRB19-002	94.49	96.01	1619792	1.524	0.024	1	17	17	71	<0.05
NWRB19-002	96.01	97.54	1619793	1.524	0.049	1	24	27	63	<0.05
NWRB19-002	97.54	99.06	1619794	1.524	0.036	2	30	24	63	<0.05

HoleID	From (m)	To (m)	SampleID	Interval_m	Au_ppm	Mo_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Ag_ppm
NWRB19-002	99.06	100.58	1619795	1.524	0.016	2	26	19	40	<0.05
NWRB19-003	0	1.52	1619796	1.524	0.036	1	80	101	176	1.2
NWRB19-003	1.52	3.05	1619797	1.524	0.03	1	35	18	93	<0.05
NWRB19-003	3.05	4.57	1619798	1.524	0.036	1	75	20	57	0.6
NWRB19-003	4.57	6.1	1619801	1.524	0.091	3	215	31	43	2.5
NWRB19-003	6.1	7.62	1619802	1.524	0.029	1	44	21	58	<0.05
NWRB19-003	7.62	9.14	1619803	1.524	0.034	2	47	20	55	<0.05
NWRB19-003	9.14	10.67	1619804	1.524	0.027	3	49	23	76	<0.05
NWRB19-003	10.67	12.19	1619805	1.524	0.039	3	43	19	52	<0.05
NWRB19-003	12.19	13.72	1619806	1.524	0.027	3	18	25	48	<0.05
NWRB19-003	13.72	15.24	1619807	1.524	0.065	3	24	25	43	<0.05
NWRB19-003	15.24	16.76	1619808	1.524	0.027	3	49	22	49	<0.05
NWRB19-003	16.76	18.29	1619809	1.524	0.025	2	44	23	58	<0.05
NWRB19-003	18.29	19.81	1619811	1.524	0.026	2	47	23	51	<0.05
NWRB19-003	19.81	21.34	1619812	1.524	0.092	1	18	26	60	<0.05
NWRB19-003	21.34	22.86	1619813	1.524	0.056	1	19	32	88	<0.05
NWRB19-003	22.86	24.38	1619814	1.524	0.044	5	65	51	126	0.6
NWRB19-003	24.38	25.91	1619815	1.524	0.022	3	110	37	110	1.7
NWRB19-003	25.91	27.43	1619816	1.524	0.221	3	267	235	114	12.5
NWRB19-003	27.43	28.96	1619817	1.524	0.081	2	72	24	81	0.6
NWRB19-003	28.96	30.48	1619818	1.524	0.078	3	40	21	57	<0.05
NWRB19-003	30.48	32	1619819	1.524	0.097	1	39	22	47	<0.05
NWRB19-003	32	33.53	1619821	1.524	0.034	1	31	24	47	<0.05
NWRB19-003	33.53	35.05	1619822	1.524	0.043	1	46	23	48	<0.05
NWRB19-003	35.05	36.58	1619823	1.524	0.095	3	68	20	51	<0.05
NWRB19-003	36.58	38.1	1619824	1.524	0.037	3	33	24	55	<0.05
NWRB19-003	38.1	39.62	1619825	1.524	0.016	3	39	21	48	<0.05
NWRB19-003	39.62	41.15	1619826	1.524	0.022	4	45	20	43	<0.05
NWRB19-003	41.15	42.67	1619827	1.524	0.027	2	25	20	38	<0.05
NWRB19-003	42.67	44.2	1619828	1.524	0.04	2	35	20	29	<0.05
NWRB19-003	44.2	45.72	1619829	1.524	0.067	3	78	21	23	<0.05
NWRB19-003	45.72	47.24	1619831	1.524	0.053	5	82	20	29	<0.05
NWRB19-003	47.24	48.77	1619832	1.524	0.209	18	74	70	72	0.8
NWRB19-003	48.77	50.29	1619834	1.524	0.048	8	46	21	426	<0.05
NWRB19-003	50.29	51.82	1619835	1.524	0.076	7	131	20	866	0.8
NWRB19-003	51.82	53.34	1619836	1.524	0.061	11	53	183	413	8.5
NWRB19-003	53.34	54.86	1619837	1.524	0.06	3	141	64	1108	4.5
NWRB19-003	54.86	56.39	1619838	1.524	0.093	1	107	21	534	0.6
NWRB19-003	56.39	57.91	1619839	1.524	0.125	1	111	24	225	0.6
NWRB19-003	57.91	59.44	1619841	1.524	0.083	2	102	24	318	1.1
NWRB19-003	59.44	60.96	1619842	1.524	0.017	7	97	26	254	1.3
NWRB19-003	60.96	62.48	1619843	1.524	0.045	11	55	19	63	<0.05

HoleID	From (m)	To (m)	SampleID	Interval_m	Au_ppm	Mo_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Ag_ppm
NWRB19-003	62.48	64.01	1619844	1.524	0.195	3	56	20	114	<0.05
NWRB19-003	64.01	65.53	1619845	1.524	0.042	1	63	23	207	<0.05
NWRB19-003	65.53	67.06	1619846	1.524	0.026	2	24	21	48	<0.05
NWRB19-003	67.06	68.58	1619847	1.524	0.045	4	38	19	42	<0.05
NWRB19-003	68.58	70.1	1619848	1.524	0.036	1	39	21	45	<0.05
NWRB19-003	70.1	71.63	1619849	1.524	0.073	4	43	148	163	2.5
NWRB19-003	71.63	73.15	1619851	1.524	0.059	4	59	24	121	<0.05
NWRB19-003	73.15	74.68	1619852	1.524	0.071	3	87	282	305	4
NWRB19-003	74.68	76.2	1619853	1.524	0.029	6	50	27	136	<0.05
NWRB19-003	76.2	77.72	1619854	1.524	0.038	8	66	18	116	<0.05
NWRB19-003	77.72	79.25	1619855	1.524	0.049	3	50	22	47	<0.05
NWRB19-004	0	1.52	1619856	1.524	0.026	5	181	19	39	<0.05
NWRB19-004	1.52	3.05	1619857	1.524	0.026	7	188	22	29	1.1
NWRB19-004	3.05	4.57	1619858	1.524	0.021	5	243	17	36	0.8
NWRB19-004	4.57	6.1	1619859	1.524	0.016	5	165	15	32	<0.05
NWRB19-004	6.1	7.62	1619861	1.524	0.01	1	185	15	38	0.7
NWRB19-004	7.62	9.14	1619862	1.524	0.015	2	191	16	40	0.7
NWRB19-004	9.14	10.67	1619863	1.524	0.01	6	150	29	37	0.5
NWRB19-004	10.67	12.19	1619864	1.524	0.01	6	179	18	46	0.6
NWRB19-004	12.19	13.72	1619865	1.524	0.008	2	114	21	35	<0.05
NWRB19-004	13.72	15.24	1619867	1.524	0.014	4	80	16	32	<0.05
NWRB19-004	15.24	16.76	1619868	1.524	0.009	6	81	15	36	<0.05
NWRB19-004	16.76	18.29	1619869	1.524	0.008	6	124	19	33	<0.05
NWRB19-004	18.29	19.81	1619871	1.524	0.017	1	191	26	51	<0.05
NWRB19-004	19.81	21.34	1619872	1.524	0.019	1	166	12	39	<0.05
NWRB19-004	21.34	22.86	1619873	1.524	0.02	1	344	35	59	1.2
NWRB19-004	22.86	24.38	1619874	1.524	0.028	1	220	18	44	0.8
NWRB19-004	24.38	25.91	1619875	1.524	0.184	4	317	30	59	1.1
NWRB19-004	25.91	27.43	1619876	1.524	0.024	5	200	22	81	0.8
NWRB19-004	27.43	28.96	1619877	1.524	0.05	8	195	21	49	0.5
NWRB19-004	28.96	30.48	1619878	1.524	0.032	11	120	19	38	<0.05
NWRB19-004	30.48	32	1619879	1.524	0.018	4	151	32	48	0.6
NWRB19-004	32	33.53	1619881	1.524	0.032	19	981	86	135	4.9
NWRB19-004	33.53	35.05	1619882	1.524	0.052	9	143	68	101	1.3
NWRB19-004	35.05	36.58	1619883	1.524	0.013	7	84	25	38	<0.05
NWRB19-004	36.58	38.1	1619884	1.524	0.1	4	103	24	41	0.6
NWRB19-004	38.1	39.62	1619885	1.524	0.014	4	53	17	34	<0.05
NWRB19-004	39.62	41.15	1619886	1.524	0.032	6	49	24	42	<0.05
NWRB19-004	41.15	42.67	1619887	1.524	0.039	6	88	88	95	1.2
NWRB19-004	42.67	44.2	1619888	1.524	0.019	13	76	41	122	0.5
NWRB19-004	44.2	45.72	1619889	1.524	0.044	12	76	26	39	<0.05
NWRB19-004	45.72	47.24	1619891	1.524	0.018	9	130	21	38	<0.05

HoleID	From (m)	To (m)	SampleID	Interval_m	Au_ppm	Mo_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Ag_ppm
NWRB19-004	47.24	48.77	1619892	1.524	0.025	5	66	19	23	<0.05
NWRB19-004	48.77	50.29	1619893	1.524	0.043	3	99	18	29	<0.05
NWRB19-004	50.29	51.82	1619894	1.524	0.102	4	126	22	31	<0.05
NWRB19-004	51.82	53.34	1619895	1.524	0.047	3	74	22	33	<0.05
NWRB19-004	53.34	54.86	1619896	1.524	0.588	8	74	28	44	<0.05
NWRB19-004	54.86	56.39	1619897	1.524	0.092	6	111	24	42	<0.05
NWRB19-004	56.39	57.91	1619898	1.524	0.042	3	61	22	36	<0.05
NWRB19-004	57.91	59.44	1619901	1.524	0.033	4	78	20	34	<0.05
NWRB19-004	59.44	60.96	1619902	1.524	0.12	2	242	24	41	1
NWRB19-005	0	1.52	1619903	1.524	0.025	1	176	20	36	0.5
NWRB19-005	1.52	3.05	1619904	1.524	0.037	2	379	22	42	1.4
NWRB19-005	3.05	4.57	1619905	1.524	0.398	1	719	43	62	3.2
NWRB19-005	4.57	6.1	1619906	1.524	0.027	10	342	25	43	1.1
NWRB19-005	6.1	7.62	1619907	1.524	0.1	19	531	39	68	2.2
NWRB19-005	7.62	9.14	1619908	1.524	0.057	5	639	21	49	2.1
NWRB19-005	9.14	10.67	1619909	1.524	0.039	5	406	18	48	1
NWRB19-005	10.67	12.19	1619911	1.524	0.026	5	345	23	45	1.2
NWRB19-005	12.19	13.72	1619912	1.524	0.018	6	153	20	42	0.6
NWRB19-005	13.72	15.24	1619913	1.524	0.066	13	182	149	86	1.6
NWRB19-005	15.24	16.76	1619914	1.524	0.015	5	124	23	51	1
NWRB19-005	16.76	18.29	1619915	1.524	0.02	7	61	23	34	<0.05
NWRB19-005	18.29	19.81	1619916	1.524	0.007	1	54	25	44	<0.05
NWRB19-005	19.81	21.34	1619917	1.524	0.017	1	49	59	78	<0.05
NWRB19-005	21.34	22.86	1619918	1.524	0.018	1	168	22	44	0.7
NWRB19-005	22.86	24.38	1619919	1.524	0.02	1	131	18	43	0.9
NWRB19-005	24.38	25.91	1619921	1.524	0.014	3	225	24	43	1.1
NWRB19-005	25.91	27.43	1619922	1.524	0.036	4	327	27	61	1.3
NWRB19-005	27.43	28.96	1619923	1.524	0.032	1	258	58	127	2.1
NWRB19-005	28.96	30.48	1619924	1.524	0.038	1	551	27	124	1.9
NWRB19-005	30.48	32	1619925	1.524	0.03	2	391	135	230	2.8
NWRB19-005	32	33.53	1619926	1.524	0.016	1	227	53	141	2.1
NWRB19-005	33.53	35.05	1619927	1.524	0.186	1	297	126	172	2.2
NWRB19-005	35.05	36.58	1619928	1.524	0.021	3	102	26	45	0.7
NWRB19-005	36.58	38.1	1619929	1.524	0.042	1	74	24	40	0.7
NWRB19-005	38.1	39.62	1619931	1.524	0.027	1	85	31	42	0.8
NWRB19-005	39.62	41.15	1619932	1.524	0.017	1	56	24	37	0.6
NWRB19-005	41.15	42.67	1619934	1.524	0.012	1	71	30	60	0.7
NWRB19-005	42.67	44.2	1619935	1.524	0.024	1	172	50	65	0.8
NWRB19-005	44.2	45.72	1619936	1.524	0.029	1	96	49	66	0.8
NWRB19-005	45.72	47.24	1619937	1.524	0.008	1	34	33	53	0.5
NWRB19-005	47.24	48.77	1619938	1.524	0.018	1	42	29	51	<0.05
NWRB19-005	48.77	50.29	1619939	1.524	0.019	1	135	27	44	0.6

HoleID	From (m)	To (m)	SampleID	Interval_m	Au_ppm	Mo_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Ag_ppm
NWRB19-005	50.29	51.82	1619941	1.524	0.018	1	51	25	41	<0.05
NWRB19-005	51.82	53.34	1619942	1.524	0.033	1	150	24	34	0.7
NWRB19-005	53.34	54.86	1619943	1.524	0.021	1	210	23	39	0.9
NWRB19-005	54.86	56.39	1619944	1.524	0.126	1	372	25	41	1.7
NWRB19-005	56.39	57.91	1619945	1.524	0.288	2	233	154	76	2.2
NWRB19-005	57.91	59.44	1619946	1.524	0.029	1	170	29	71	0.6
NWRB19-005	59.44	60.96	1619947	1.524	0.06	1	169	23	35	0.8
NWRB19-005	60.96	62.48	1619948	1.524	0.03	1	152	29	59	0.7
NWRB19-005	62.48	64.01	1619949	1.524	0.038	1	115	34	42	0.8
NWRB19-005	64.01	65.53	1619951	1.524	0.019	1	124	26	35	1
NWRB19-005	65.53	67.06	1619952	1.524	0.049	1	223	24	46	1.1
NWRB19-005	67.06	68.58	1619953	1.524	0.068	2	277	120	186	2.4
NWRB19-005	68.58	70.1	1619954	1.524	0.044	1	345	49	83	1.9
NWRB19-005	70.1	71.63	1619955	1.524	0.052	1	228	25	49	1.2
NWRB19-005	71.63	73.15	1619956	1.524	0.212	1	512	22	38	2.1
NWRB19-005	73.15	74.68	1619957	1.524	0.243	1	578	22	37	2.3
NWRB19-005	74.68	76.2	1619958	1.524	0.024	5	462	26	37	1.8
NWRB19-005	76.2	77.72	1619959	1.524	0.011	28	113	26	29	0.6
NWRB19-005	77.72	79.25	1619961	1.524	0.027	33	200	20	29	0.8
NWRB19-005	79.25	80.77	1619962	1.524	0.03	20	198	141	195	1.9
NWRB19-005	80.77	82.3	1619963	1.524	0.073	17	196	209	379	2.1
NWRB19-005	82.3	83.82	1619964	1.524	0.021	17	142	41	48	0.8
NWRB19-005	83.82	85.34	1619965	1.524	0.06	12	188	62	65	2.2
NWRB19-005	85.34	86.87	1619967	1.524	0.032	12	108	26	33	0.7
NWRB19-005	86.87	88.39	1619968	1.524	0.023	8	75	25	31	<0.05
NWRB19-005	88.39	89.92	1619969	1.524	0.008	17	97	24	29	<0.05
NWRB19-005	89.92	91.44	1619971	1.524	0.023	6	100	23	28	0.5
NWRB19-005	91.44	92.96	1619972	1.524	0.023	4	93	22	23	<0.05
NWRB19-005	92.96	94.49	1619973	1.524	0.023	4	80	24	28	<0.05
NWRB19-005	94.49	96.01	1619974	1.524	0.056	9	143	23	26	0.6
NWRB19-005	96.01	97.54	1619975	1.524	0.035	2	196	20	26	0.7
NWRB19-005	97.54	99.06	1619976	1.524	0.042	18	467	24	34	1.4
NWRB19-005	99.06	100.58	1619977	1.524	0.021	30	228	23	28	0.9
NWRB19-005	100.58	102.11	1619978	1.524	0.05	35	139	23	28	0.5
NWRB19-005	102.11	103.63	1619979	1.524	0.019	18	109	22	26	<0.05
NWRB19-005	103.63	105.16	1619981	1.524	0.013	34	129	22	28	<0.05
NWRB19-005	105.16	106.68	1619982	1.524	0.079	36	359	24	30	1.2
NWRB19-005	106.68	108.2	1619983	1.524	0.024	3	176	26	29	0.7
NWRB19-005	108.2	109.73	1619984	1.524	0.012	1	141	26	29	0.7
NWRB19-005	109.73	111.25	1619985	1.524	0.016	6	128	23	28	0.6
NWRB19-005	111.25	112.78	1619986	1.524	0.015	4	128	22	27	<0.05
NWRB19-005	112.78	114.3	1619987	1.524	0.06	12	103	25	27	0.5

HoleID	From (m)	To (m)	SampleID	Interval_m	Au_ppm	Mo_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Ag_ppm
NWRB19-005	114.3	115.82	1619988	1.524	0.018	19	108	26	26	<0.05
NWRB19-005	115.82	117.35	1619989	1.524	0.033	19	196	24	30	0.8
NWRB19-005	118.87	120.4	1619991	1.524	0.022	5	187	23	30	1
NWRB19-005	120.4	121.92	1619992	1.524	0.035	16	236	29	31	0.8
NWRB19-005	121.92	123.44	1619993	1.524	0.155	40	316	54	67	1.8
NWRB19-005	123.44	124.97	1619994	1.524	0.113	15	196	132	167	1.7
NWRB19-005	124.97	126.49	1619995	1.524	0.016	14	132	33	46	0.6
NWRB19-005	126.49	128.02	1619996	1.524	0.038	10	106	29	38	0.5
NWRB19-005	128.02	129.54	1619997	1.524	0.132	12	138	27	37	0.6
NWRB19-005	129.54	131.06	1619998	1.524	0.031	26	113	29	37	<0.05
NWRB19-005	131.06	132.59	1620001	1.524	0.014	8	107	27	37	<0.05
NWRB19-005	132.59	134.11	1620002	1.524	0.067	14	305	30	40	1
NWRB19-005	134.11	135.64	1620003	1.524	0.05	12	262	29	37	0.9
NWRB19-005	135.64	137.16	1620004	1.524	0.067	69	598	29	49	2.2
NWRB19-005	137.16	138.68	1620005	1.524	0.07	56	340	28	40	1.1
NWRB19-005	138.68	140.21	1620006	1.524	0.041	20	289	26	41	1.2
NWRB19-005	140.21	141.73	1620007	1.524	2.116	30	1104	1126	717	48.5
NWRB19-005	141.73	143.26	1620008	1.524	0.259	27	333	239	163	9.7
NWRB19-005	143.26	144.78	1620009	1.524	0.101	33	178	82	71	2.5
NWRB19-005	144.78	146.3	1620011	1.524	0.643	18	358	66	56	2.7
NWRB19-005	146.3	147.83	1620012	1.524	0.919	25	616	58	72	3.5
NWRB19-005	147.83	149.35	1620013	1.524	0.065	32	271	36	43	1.2
NWRB19-005	149.35	150.88	1620014	1.524	0.17	36	234	36	44	1.3
NWRB19-006	0	1.52	1620015	1.524	0.023	6	224	167	151	3.8
NWRB19-006	1.52	3.05	1620016	1.524	0.065	9	423	81	214	5
NWRB19-006	3.05	4.57	1620017	1.524	0.111	16	489	1255	238	6.5
NWRB19-006	4.57	6.1	1620018	1.524	0.17	3	236	65	120	1.8
NWRB19-006	6.1	7.62	1620019	1.524	0.013	1	105	29	51	<0.05
NWRB19-006	7.62	9.14	1620021	1.524	0.107	3	266	35	139	1.6
NWRB19-006	9.14	10.67	1620022	1.524	0.02	7	111	28	165	1.2
NWRB19-006	10.67	12.19	1620023	1.524	<0.005	5	26	29	65	<0.05
NWRB19-006	12.19	13.72	1620024	1.524	0.017	4	76	32	203	0.8
NWRB19-006	13.72	15.24	1620025	1.524	0.453	6	71	100	480	1
NWRB19-006	15.24	16.76	1620026	1.524	0.021	5	102	79	265	1.1
NWRB19-006	16.76	18.29	1620027	1.524	0.011	3	118	33	78	0.5
NWRB19-006	18.29	19.81	1620028	1.524	0.007	4	125	30	46	<0.05
NWRB19-006	19.81	21.34	1620029	1.524	0.023	5	78	29	43	<0.05
NWRB19-006	21.34	22.86	1620031	1.524	<0.005	4	62	28	45	<0.05
NWRB19-006	22.86	24.38	1620032	1.524	0.007	2	76	26	42	<0.05
NWRB19-006	24.38	25.91	1620033	1.524	0.007	4	99	64	121	1
NWRB19-006	25.91	27.43	1620035	1.524	0.007	3	63	37	105	0.5
NWRB19-006	27.43	28.96	1620036	1.524	0.01	6	52	24	64	<0.05

HoleID	From (m)	To (m)	SampleID	Interval_m	Au_ppm	Mo_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Ag_ppm
NWRB19-006	28.96	30.48	1620037	1.524	<0.005	4	53	29	95	<0.05
NWRB19-006	30.48	32	1620038	1.524	0.024	4	51	28	61	<0.05
NWRB19-006	32	33.53	1620039	1.524	<0.005	2	19	26	57	<0.05
NWRB19-006	33.53	35.05	1620041	1.524	<0.005	2	33	23	71	<0.05
NWRB19-006	35.05	36.58	1620042	1.524	0.022	3	131	20	85	0.6
NWRB19-006	36.58	38.1	1620043	1.524	0.057	3	136	23	87	0.7
NWRB19-006	38.1	39.62	1620044	1.524	0.011	4	148	92	110	2.1
NWRB19-006	39.62	41.15	1620045	1.524	0.009	1	76	64	221	0.7
NWRB19-006	41.15	42.67	1620046	1.524	0.019	1	132	38	308	3.5
NWRB19-006	42.67	44.2	1620047	1.524	0.02	4	218	70	799	1.1
NWRB19-006	44.2	45.72	1620048	1.524	1.888	11	527	1082	776	46.5
NWRB19-006	45.72	47.24	1620049	1.524	0.062	7	306	478	747	9.5
NWRB19-006	47.24	48.77	1620051	1.524	0.04	5	145	105	683	1.1
NWRB19-006	48.77	50.29	1620052	1.524	<0.005	2	58	49	478	<0.05
NWRB19-006	50.29	51.82	1620053	1.524	0.008	2	41	29	201	<0.05
NWRB19-006	51.82	53.34	1620054	1.524	0.012	3	63	25	438	<0.05
NWRB19-006	53.34	54.86	1620055	1.524	0.014	1	35	24	74	<0.05
NWRB19-006	54.86	56.39	1620056	1.524	0.01	2	51	28	80	<0.05
NWRB19-006	56.39	57.91	1620057	1.524	0.005	1	40	21	44	<0.05
NWRB19-006	57.91	59.44	1620058	1.524	0.008	2	36	22	45	<0.05
NWRB19-006	59.44	60.96	1620059	1.524	0.073	3	119	21	115	<0.05
NWRB19-006	60.96	62.48	1620061	1.524	0.17	5	91	20	158	<0.05
NWRB19-006	62.48	64.01	1620062	1.524	0.024	1	34	25	211	<0.05
NWRB19-006	64.01	65.53	1620063	1.524	0.081	137	285	9151	3453	39.2
NWRB19-006	65.53	67.06	1620064	1.524	0.026	3	83	139	320	0.8
NWRB19-006	67.06	68.58	1620065	1.524	0.009	3	53	68	63	<0.05
NWRB19-006	68.58	70.1	1620067	1.524	<0.005	4	32	52	61	<0.05
NWRB19-006	70.1	71.63	1620068	1.524	<0.005	3	81	52	65	<0.05
NWRB19-006	71.63	73.15	1620069	1.524	0.007	6	122	40	56	0.6
NWRB19-006	73.15	74.68	1620071	1.524	0.11	3	152	231	650	4.4
NWRB19-006	74.68	76.2	1620072	1.524	0.066	3	106	1568	3595	6.8
NWRB19-006	76.2	77.72	1620073	1.524	0.048	1	32	238	591	1
NWRB19-006	77.72	79.25	1620074	1.524	0.007	3	60	46	69	<0.05
NWRB19-006	79.25	80.77	1620075	1.524	0.018	2	36	34	51	<0.05
NWRB19-006	80.77	82.3	1620076	1.524	0.068	89	69	28	48	<0.05
NWRB19-006	82.3	83.82	1620077	1.524	0.011	10	123	32	115	<0.05
NWRB19-006	83.82	85.34	1620078	1.524	0.039	19	322	44	193	<0.05
NWRB19-006	85.34	86.87	1620079	1.524	0.102	9	222	80	81	1.3
NWRB19-006	86.87	88.39	1620081	1.524	0.049	5	296	29	44	1
NWRB19-006	88.39	89.92	1620082	1.524	0.025	11	389	27	45	1.2
NWRB19-006	89.92	91.44	1620083	1.524	0.03	11	172	28	41	1.5
NWRB19-006	91.44	92.96	1620084	1.524	0.027	2	75	29	36	<0.05

HoleID	From (m)	To (m)	SampleID	Interval_m	Au_ppm	Mo_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Ag_ppm
NWRB19-006	92.96	94.49	1620085	1.524	0.012	1	105	32	40	0.6
NWRB19-007	0	1.52	1620086	1.524	0.006	6	200	29	70	0.8
NWRB19-007	1.52	3.05	1620087	1.524	<0.005	3	62	15	43	<0.05
NWRB19-007	3.05	4.57	1620088	1.524	<0.005	2	76	24	51	<0.05
NWRB19-007	4.57	6.1	1620089	1.524	<0.005	1	66	12	33	<0.05
NWRB19-007	6.1	7.62	1620091	1.524	<0.005	2	64	16	42	<0.05
NWRB19-007	7.62	9.14	1620092	1.524	<0.005	4	94	40	140	0.6
NWRB19-007	9.14	10.67	1620093	1.524	<0.005	4	55	30	56	1.7
NWRB19-007	10.67	12.19	1620094	1.524	<0.005	1	47	11	38	<0.05
NWRB19-007	12.19	13.72	1620095	1.524	0.017	4	61	57	53	0.6
NWRB19-007	13.72	15.24	1620096	1.524	<0.005	4	109	18	62	<0.05
NWRB19-007	15.24	16.76	1620097	1.524	<0.005	4	184	12	35	0.5
NWRB19-007	16.76	18.29	1620098	1.524	0.007	4	176	10	36	<0.05
NWRB19-007	18.29	19.81	1620101	1.524	0.008	4	109	9	37	<0.05
NWRB19-007	19.81	21.34	1620102	1.524	0.006	8	138	11	33	<0.05
NWRB19-007	21.34	22.86	1620103	1.524	0.008	3	126	10	36	<0.05
NWRB19-007	22.86	24.38	1620104	1.524	<0.005	6	97	11	39	<0.05
NWRB19-007	24.38	25.91	1620105	1.524	<0.005	5	107	8	32	<0.05
NWRB19-007	25.91	27.43	1620106	1.524	<0.005	3	58	8	37	<0.05
NWRB19-007	27.43	28.96	1620107	1.524	<0.005	38	47	7	33	<0.05
NWRB19-007	28.96	30.48	1620108	1.524	<0.005	12	69	7	44	<0.05
NWRB19-007	30.48	32	1620109	1.524	0.055	25	208	1133	322	5.5
NWRB19-007	32	33.53	1620111	1.524	<0.005	7	52	114	290	<0.05
NWRB19-007	33.53	35.05	1620112	1.524	0.013	9	43	37	119	<0.05
NWRB19-007	35.05	36.58	1620113	1.524	0.012	15	139	33	65	1.1
NWRB19-007	36.58	38.1	1620114	1.524	<0.005	2	80	16	56	0.7
NWRB19-007	38.1	39.62	1620115	1.524	0.006	11	78	117	72	11.2
NWRB19-007	39.62	41.15	1620116	1.524	0.026	10	139	37	142	1.5
NWRB19-007	41.15	42.67	1620117	1.524	0.008	15	188	8	37	<0.05
NWRB19-007	42.67	44.2	1620118	1.524	<0.005	4	118	13	39	<0.05
NWRB19-007	44.2	45.72	1620119	1.524	0.014	5	164	12	38	0.5
NWRB19-007	45.72	47.24	1620121	1.524	0.014	35	85	36	37	2.1
NWRB19-007	47.24	48.77	1620122	1.524	0.01	5	136	14	39	<0.05
NWRB19-007	48.77	50.29	1620123	1.524	0.007	5	70	75	120	0.7
NWRB19-007	50.29	51.82	1620124	1.524	<0.005	14	104	31	88	0.5
NWRB19-007	51.82	53.34	1620125	1.524	0.011	14	206	16	47	0.7
NWRB19-007	53.34	54.86	1620126	1.524	<0.005	17	60	127	143	1
NWRB19-007	54.86	56.39	1620127	1.524	<0.005	23	60	31	75	<0.05
NWRB19-007	56.39	57.91	1620128	1.524	<0.005	10	68	12	43	<0.05
NWRB19-007	57.91	59.44	1620129	1.524	<0.005	60	87	12	34	<0.05
NWRB19-007	59.44	60.96	1620131	1.524	<0.005	12	97	14	33	<0.05
NWRB19-007	60.96	62.48	1620132	1.524	0.006	6	80	15	30	<0.05

HoleID	From (m)	To (m)	SampleID	Interval_m	Au_ppm	Mo_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Ag_ppm
NWRB19-007	62.48	64.01	1620134	1.524	<0.005	10	71	19	37	<0.05
NWRB19-007	64.01	65.53	1620135	1.524	<0.005	4	63	15	37	<0.05
NWRB19-007	65.53	67.06	1620136	1.524	<0.005	4	46	22	51	<0.05
NWRB19-007	67.06	68.58	1620137	1.524	0.01	3	83	16	43	<0.05
NWRB19-007	68.58	70.1	1620138	1.524	0.033	4	52	22	54	0.6
NWRB19-007	70.1	71.63	1620139	1.524	0.012	11	83	21	45	<0.05
NWRB19-007	71.63	73.15	1620141	1.524	<0.005	6	48	11	35	<0.05
NWRB19-007	73.15	74.68	1620142	1.524	<0.005	14	38	12	37	<0.05
NWRB19-007	74.68	76.2	1620143	1.524	0.021	3	53	27	51	<0.05
NWRB19-007	76.2	77.72	1620144	1.524	0.015	67	67	13	37	<0.05
NWRB19-007	77.72	79.25	1620145	1.524	0.006	6	144	13	34	<0.05
NWRB19-007	79.25	80.77	1620146	1.524	0.007	6	210	14	34	0.6
NWRB19-007	80.77	82.3	1620147	1.524	<0.005	6	66	13	41	<0.05
NWRB19-007	82.3	83.82	1620148	1.524	0.023	44	43	40	61	0.9
NWRB19-007	83.82	85.34	1620149	1.524	<0.005	9	50	16	41	<0.05
NWRB19-007	85.34	86.87	1620151	1.524	<0.005	4	38	14	37	<0.05
NWRB19-007	86.87	88.39	1620152	1.524	<0.005	9	53	16	39	<0.05
NWRB19-007	88.39	89.92	1620153	1.524	0.008	4	37	12	31	<0.05
NWRB19-007	89.92	91.44	1620154	1.524	<0.005	8	82	12	28	<0.05
NWRB19-007	91.44	92.96	1620155	1.524	<0.005	14	75	12	37	<0.05
NWRB19-007	92.96	94.49	1620156	1.524	<0.005	7	80	12	32	<0.05
NWRB19-007	94.49	96.01	1620157	1.524	<0.005	9	74	11	39	<0.05
NWRB19-007	96.01	97.54	1620158	1.524	<0.005	4	41	16	39	<0.05
NWRB19-007	97.54	99.06	1620159	1.524	<0.005	5	30	13	42	<0.05
NWRB19-007	99.06	100.58	1620161	1.524	<0.005	8	30	11	43	<0.05
NWRB19-007	100.58	102.11	1620162	1.524	0.03	21	80	54	86	0.5
NWRB19-007	102.11	103.63	1620163	1.524	0.016	22	48	121	80	0.6
NWRB19-007	103.63	105.16	1620164	1.524	<0.005	12	92	17	41	<0.05
NWRB19-007	105.16	106.68	1620165	1.524	<0.005	7	72	14	45	<0.05
NWRB19-007	106.68	108.2	1620167	1.524	0.028	10	38	34	76	<0.05
NWRB19-007	108.2	109.73	1620168	1.524	0.028	12	57	28	82	0.5
NWRB19-007	109.73	111.25	1620169	1.524	0.012	20	44	18	55	<0.05
NWRB19-007	111.25	112.78	1620171	1.524	0.01	20	72	143	156	4
NWRB19-007	112.78	114.3	1620172	1.524	<0.005	5	40	59	60	1.2
NWRB19-007	114.3	115.82	1620173	1.524	<0.005	12	68	18	42	<0.05
NWRB19-007	115.82	117.35	1620174	1.524	0.072	6	68	64	120	0.7
NWRB19-007	117.35	118.87	1620175	1.524	0.133	11	65	78	97	0.8
NWRB19-007	118.87	120.4	1620176	1.524	0.246	22	51	189	233	1.7
NWRB19-007	120.4	121.92	1620177	1.524	0.102	7	57	58	85	1.2
NWRB19-007	121.92	123.44	1620178	1.524	0.049	9	39	40	49	0.7
NWRB19-007	123.44	124.97	1620179	1.524	0.053	19	32	25	55	<0.05
NWRB19-007	124.97	126.49	1620181	1.524	<0.005	14	32	18	43	<0.05

HoleID	From (m)	To (m)	SampleID	Interval_m	Au_ppm	Mo_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Ag_ppm
NWRB19-007	126.49	128.02	1620182	1.524	0.006	6	45	26	72	<0.05
NWRB19-007	128.02	129.54	1620183	1.524	<0.005	11	45	18	37	<0.05
NWRB19-007	129.54	131.06	1620184	1.524	<0.005	17	46	43	38	<0.05
NWRB19-007	131.06	132.59	1620185	1.524	<0.005	21	90	18	35	<0.05
NWRB19-007	132.59	134.11	1620186	1.524	<0.005	10	124	14	32	0.5
NWRB19-007	134.11	135.64	1620187	1.524	<0.005	33	71	16	34	<0.05
NWRB19-007	135.64	137.16	1620188	1.524	<0.005	31	44	32	41	0.6
NWRB19-007	137.16	138.68	1620189	1.524	<0.005	41	45	15	31	<0.05
NWRB19-007	138.68	140.21	1620191	1.524	<0.005	78	65	12	32	<0.05
NWRB19-007	140.21	141.73	1620192	1.524	<0.005	26	60	19	46	<0.05
NWRB19-007	141.73	143.26	1620193	1.524	<0.005	36	51	18	34	<0.05
NWRB19-007	143.26	144.78	1620194	1.524	0.031	33	239	96	113	2
NWRB19-007	144.78	146.3	1620195	1.524	0.063	22	74	101	211	1.4
NWRB19-007	146.3	147.83	1620196	1.524	<0.005	24	110	19	30	0.8
NWRB19-007	147.83	149.35	1620197	1.524	<0.005	15	43	15	37	<0.05
NWRB19-007	149.35	150.88	1620198	1.524	<0.005	21	27	19	39	<0.05
NWRB19-007	150.88	152.4	1620201	1.524	<0.005	32	28	16	35	<0.05
NWRB19-007	152.4	153.92	1620202	1.524	<0.005	39	49	17	34	<0.05
NWRB19-007	153.92	155.45	1620203	1.524	<0.005	12	58	16	33	<0.05
NWRB19-007	155.45	156.97	1620204	1.524	<0.005	23	45	14	34	<0.05
NWRB19-007	156.97	158.5	1620205	1.524	<0.005	33	56	12	33	<0.05
NWRB19-007	158.5	160.02	1620206	1.524	<0.005	22	83	15	36	<0.05
NWRB19-007	160.02	161.54	1620207	1.524	<0.005	21	45	14	37	<0.05
NWRB19-007	161.54	163.07	1620208	1.524	<0.005	27	37	13	34	<0.05
NWRB19-007	163.07	164.59	1620209	1.524	<0.005	40	94	27	57	<0.05
NWRB19-007	164.59	166.12	1620211	1.524	<0.005	21	61	69	141	0.7
NWRB19-007	166.12	167.64	1620212	1.524	<0.005	19	71	51	71	<0.05
NWRB19-007	167.64	169.16	1620213	1.524	0.017	14	86	232	227	1.9
NWRB19-007	169.16	170.69	1620214	1.524	0.031	11	63	107	135	1
NWRB19-007	170.69	172.21	1620215	1.524	0.032	17	70	135	268	1.3
NWRB19-007	172.21	173.74	1620216	1.524	0.022	20	80	89	150	0.8
NWRB19-008	0	1.52	1620217	1.524	<0.005	19	54	99	152	1
NWRB19-008	1.52	3.05	1620218	1.524	<0.005	17	82	20	463	1.9
NWRB19-008	3.05	4.57	1620219	1.524	<0.005	6	67	26	488	1.5
NWRB19-008	4.57	6.1	1620221	1.524	0.013	13	106	47	503	1
NWRB19-008	6.1	7.62	1620222	1.524	0.021	12	80	51	171	0.9
NWRB19-008	7.62	9.14	1620223	1.524	0.013	15	74	89	321	0.7
NWRB19-008	9.14	10.67	1620224	1.524	0.012	5	25	99	145	1.4
NWRB19-008	10.67	12.19	1620225	1.524	0.008	5	39	71	251	1.1
NWRB19-008	12.19	13.72	1620226	1.524	0.009	4	44	22	226	1.4
NWRB19-008	13.72	15.24	1620227	1.524	0.396	8	34	25	181	1.3
NWRB19-008	15.24	16.76	1620228	1.524	0.097	11	25	10	270	0.6

HoleID	From (m)	To (m)	SampleID	Interval_m	Au_ppm	Mo_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Ag_ppm
NWRB19-008	16.76	18.29	1620229	1.524	0.092	26	35	42	248	0.5
NWRB19-008	18.29	19.81	1620231	1.524	0.035	33	47	126	280	0.6
NWRB19-008	19.81	21.34	1620232	1.524	0.014	22	38	64	246	0.8
NWRB19-008	21.34	22.86	1620234	1.524	0.01	20	51	38	316	0.6
NWRB19-008	22.86	24.38	1620235	1.524	0.016	42	45	102	251	1.5
NWRB19-008	24.38	25.91	1620236	1.524	0.014	35	54	61	288	1.2
NWRB19-008	25.91	27.43	1620237	1.524	0.009	21	33	33	202	0.8
NWRB19-008	27.43	28.96	1620238	1.524	0.022	17	26	19	255	0.7
NWRB19-008	28.96	30.48	1620239	1.524	0.026	39	35	87	244	1.1
NWRB19-008	30.48	32	1620241	1.524	0.087	28	36	117	221	1
NWRB19-008	32	33.53	1620242	1.524	0.018	48	49	169	309	1
NWRB19-008	33.53	35.05	1620243	1.524	0.013	27	63	191	376	1.5
NWRB19-008	35.05	36.58	1620244	1.524	0.207	21	36	236	187	1
NWRB19-008	36.58	38.1	1620245	1.524	0.009	31	47	110	274	0.8
NWRB19-008	38.1	39.62	1620246	1.524	0.015	58	34	79	87	0.8
NWRB19-008	39.62	41.15	1620247	1.524	0.011	80	48	96	135	0.7
NWRB19-008	41.15	42.67	1620248	1.524	0.013	61	53	185	136	0.8
NWRB19-008	42.67	44.2	1620249	1.524	0.01	49	69	81	213	0.9
NWRB19-008	44.2	45.72	1620251	1.524	0.024	63	57	68	134	0.8
NWRB19-008	45.72	47.24	1620252	1.524	0.018	71	36	41	89	<0.05
NWRB19-008	47.24	48.77	1620253	1.524	0.009	97	44	52	118	<0.05
NWRB19-008	48.77	50.29	1620254	1.524	<0.005	41	30	44	117	0.6
NWRB19-008	50.29	51.82	1620255	1.524	0.007	61	33	64	119	<0.05
NWRB19-008	51.82	53.34	1620256	1.524	0.006	48	16	34	61	<0.05
NWRB19-008	53.34	54.86	1620257	1.524	0.007	55	18	61	63	0.5
NWRB19-008	54.86	56.39	1620258	1.524	0.008	62	24	73	78	0.9
NWRB19-008	56.39	57.91	1620259	1.524	0.014	44	24	50	56	0.7
NWRB19-008	57.91	59.44	1620261	1.524	0.014	70	29	42	79	<0.05
NWRB19-008	59.44	60.96	1620262	1.524	0.011	43	74	138	295	0.8
NWRB19-008	60.96	62.48	1620263	1.524	0.013	70	59	139	157	<0.05
NWRB19-008	62.48	64.01	1620264	1.524	0.012	77	24	44	91	<0.05
NWRB19-008	64.01	65.53	1620265	1.524	0.014	184	39	100	108	0.5
NWRB19-008	65.53	67.06	1620267	1.524	0.013	70	22	59	101	<0.05
NWRB19-008	67.06	68.58	1620268	1.524	0.01	58	16	22	78	<0.05
NWRB19-008	68.58	70.1	1620269	1.524	0.012	79	14	53	73	<0.05
NWRB19-008	70.1	71.63	1620271	1.524	0.014	71	48	73	205	0.6
NWRB19-008	71.63	73.15	1620272	1.524	0.014	60	61	27	666	<0.05
NWRB19-008	73.15	74.68	1620273	1.524	0.019	68	96	82	558	0.8
NWRB19-008	74.68	76.2	1620274	1.524	0.299	63	26	39	70	0.8
NWRB19-008	76.2	77.72	1620275	1.524	0.036	67	22	30	71	<0.05
NWRB19-008	77.72	79.25	1620276	1.524	0.018	55	18	25	56	<0.05
NWRB19-008	79.25	80.77	1620277	1.524	0.018	92	38	104	84	0.8

HoleID	From (m)	To (m)	SampleID	Interval_m	Au_ppm	Mo_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Ag_ppm
NWRB19-008	80.77	82.3	1620278	1.524	0.011	40	26	26	59	<0.05
NWRB19-008	82.3	83.82	1620279	1.524	0.011	32	18	33	51	<0.05
NWRB19-008	83.82	85.34	1620281	1.524	0.029	41	47	50	128	0.6
NWRB19-008	85.34	86.87	1620282	1.524	0.028	93	122	98	192	1.3
NWRB19-008	86.87	88.39	1620283	1.524	0.051	55	77	68	158	1.1
NWRB19-008	88.39	89.92	1620284	1.524	0.027	30	30	36	153	0.6
NWRB19-008	89.92	91.44	1620285	1.524	0.017	40	49	69	148	1
NWRB19-008	91.44	92.96	1620286	1.524	0.089	55	43	78	112	0.7
NWRB19-008	92.96	94.49	1620287	1.524	0.03	34	29	99	127	0.8
NWRB19-008	94.49	96.01	1620288	1.524	0.017	22	16	30	63	0.6
NWRB19-008	96.01	97.54	1620289	1.524	0.029	59	58	98	140	1.6
NWRB19-008	97.54	99.06	1620291	1.524	0.042	23	15	27	57	0.5
NWRB19-008	99.06	100.58	1620292	1.524	0.024	30	21	22	60	0.5
NWRB19-008	100.58	102.11	1620293	1.524	0.024	29	21	54	66	0.5
NWRB19-008	102.11	103.63	1620294	1.524	0.017	34	26	49	128	0.6