

Table 1. Significant Results of Chicken Mountain RC Drill Assay Results RC Line 1*

Hole No.		From (m)	To (m)	Length (m)	Au g/t
CMR25-069		0.00	10.67	10.67	0.15
RC					
TD=44.20m		25.91	44.20	18.29	0.49
End in Min: Yes	<i>including</i>	28.96	30.48	1.52	1.17
	<i>and including</i>	36.58	42.67	6.10	0.77
CMR25-070		0.00	13.72	13.72	0.21
RC					
TD=105.18m		38.11	83.84	45.73	0.55
End in Min: Yes	<i>including</i>	38.11	77.74	39.63	0.62
	<i>with</i>	56.40	77.74	21.34	0.78
		89.94	105.18	15.24	0.33
CMR25-073		0.00	91.44	91.44	0.46
RC	<i>including</i>	12.19	28.96	16.76	0.75
TD=91.44m	<i>with</i>	15.24	25.91	10.67	0.96
End in Min: Yes	<i>and including</i>	47.24	50.29	3.05	0.45
	<i>and including</i>	59.44	65.53	6.10	0.49
	<i>and including</i>	74.68	88.39	13.72	1.08
		86.87	88.39	1.52	6.22
CMR25-076		0.00	56.39	56.39	0.22
RC					
TD=103.63m		64.01	92.96	28.96	0.52
End in Min: No	<i>including</i>	71.63	89.92	18.29	0.71
	<i>with</i>	79.25	89.92	10.67	1.00
	<i>with</i>	83.82	85.34	1.52	4.57
CMR25-077		1.52	10.67	9.14	0.33
RC	<i>including</i>	1.52	7.62	6.10	0.39
TD=53.34m					
End in Min: Yes		15.24	51.82	36.58	0.37
	<i>including</i>	18.29	32.00	13.72	0.52
CMR25-080		1.52	91.44	89.92	0.62

RC	<i>including</i>	7.62	86.87	79.25	0.68
TD=91.44m	<i>with</i>	9.14	18.29	9.14	0.78
End in Min: Yes	<i>and with</i>	27.43	33.53	6.10	0.47
	<i>and with</i>	38.10	64.01	25.91	1.09
CMR25-083		1.52	33.53	32.00	0.79
RC	<i>including</i>	9.14	28.96	19.81	1.06
TD=77.24m					
End in Min: Yes		38.10	77.72	39.62	0.39
	<i>including</i>	50.29	53.34	3.05	1.18
	<i>and including</i>	62.48	67.06	4.57	0.78
CMR25-084		1.52	38.10	36.58	9.94
RC	<i>including</i>	13.72	36.58	22.86	15.73
TD=54.86m	<i>with</i>	13.72	16.76	3.05	104.23
End in Min: Yes					
		44.20	47.24	3.05	0.64
		51.82	54.86	3.05	1.01
CMR25-086		0.00	42.67	42.67	0.48
RC	<i>including</i>	0.00	13.72	13.72	0.47
TD=96.01m	<i>with</i>	1.52	6.10	4.57	0.80
End in Min: Yes					
		28.96	39.62	10.67	0.97
	<i>including</i>	28.96	32.00	3.05	1.82
	<i>with</i>	36.58	39.62	3.05	1.27
		48.77	96.01	47.24	0.51
	<i>including</i>	51.82	70.10	18.29	0.73
	<i>with</i>	89.92	96.01	6.10	1.11
CMR25-087		0.00	48.77	48.77	0.51
RC	<i>including</i>	0.00	3.05	3.05	0.65
TD=74.68m	<i>and including</i>	10.67	19.81	9.14	1.61
End in Min: Yes	<i>with</i>	12.19	13.72	1.52	7.06
	<i>and including</i>	24.38	28.96	4.57	0.58
		56.39	74.68	18.29	0.18

CMR25-090		0.00	32.00	32.00	0.40
RC	<i>including</i>	6.10	30.48	24.38	0.48
TD=32.00m	<i>with</i>	13.72	19.81	6.10	0.89
End in Min: Yes	<i>and with</i>	27.43	30.48	3.05	0.54
CMR25-091		7.62	80.16	72.54	0.55
RC	<i>including</i>	9.14	67.06	57.91	0.62
TD=80.16m	<i>with</i>	13.72	41.15	27.43	0.88
End in Min: Yes	<i>or with</i>	18.29	39.62	21.34	1.02
	<i>and with</i>	45.72	56.39	10.67	0.55

*All reported intercepts are reported as downhole lengths, as insufficient data exists to determine true widths. Select composites utilizing 0.10, 0.30 or 0.50 g/t Au cut-off with a maximum 3.2m continuous (two sample) below the cut-off inclusion.

Table 1. Significant Results of Chicken Mountain RC Drill Assay Results RC Line 2*

Hole No.		From (m)	To (m)	Length (m)	Au g/t
CMR25-071		0.00	9.14	9.14	0.18
RC					
TD=16.76m		13.72	15.24	1.52	0.47
End in Min: Yes					
CMR25-072		1.52	7.62	6.10	0.66
RC	<i>including</i>	6.10	7.62	1.52	2.36
TD=65.53m					
End in Min: Yes		13.72	24.38	10.67	0.39
	<i>including</i>	19.81	24.38	4.57	0.69
		35.05	41.15	6.10	0.34
	<i>including</i>	38.10	41.15	3.05	0.53
		48.77	65.53	16.76	0.30
		51.82	59.44	7.62	0.47
CMR25-074		0.00	48.78	48.78	0.25
RC	<i>including</i>	32.01	39.63	7.62	0.79
TD=82.32m					

End in Min: No		57.93	67.07	9.15	0.13
CMR25-075		1.52	48.77	47.24	0.22
RC					
TD=48.77m					
End in Min: Yes					
CMR25-078		0.00	6.10	6.10	0.12
RC					
TD=71.63m		24.38	28.96	4.57	0.28
End in Min: No					
		47.24	64.01	16.76	0.34
	<i>including</i>	51.82	56.39	4.57	0.66
CMR25-079		0.00	24.38	24.38	0.18
RC	<i>including</i>	4.57	6.10	1.52	0.81
TD=24.38m					
End in Min: Yes					
CMR25-081		0.00	6.10	6.10	0.22
RC					
TD=44.20m		12.19	24.38	12.19	0.50
End in Min: No	<i>including</i>	12.19	16.76	4.57	1.09
CMR25-082		0.00	16.76	16.76	0.30
RC		9.14	10.67	1.52	0.81
TD=19.81m					
End in Min: Yes					
CMR25-085		0.00	12.19	12.19	0.29
RC					
TD=99.06m		21.34	27.43	6.10	0.23
End in Min: Yes					
		32.00	97.54	65.53	0.31
	<i>including</i>	51.82	53.34	1.52	1.14
	<i>and including</i>	62.48	68.58	6.10	0.68
	<i>and including</i>	73.15	82.30	9.14	0.70
CMR25-088		1.52	51.82	50.29	0.32

RC	<i>including</i>	3.05	10.67	7.62	0.41
TD=79.25m	<i>and including</i>	42.67	45.72	3.05	0.48
End in Min: Yes					
		56.39	79.25	22.86	0.20
	<i>including</i>	56.39	57.91	1.52	0.90
CMR25-089		4.57	57.91	53.34	0.45
RC	<i>including</i>	4.57	21.34	16.76	0.60
TD=57.91m	<i>with</i>	9.14	16.76	7.62	0.97
End in Min: Yes	<i>with</i>	13.72	16.76	3.05	1.61
	<i>and including</i>	35.05	41.15	6.10	0.54
	<i>and including</i>	47.24	54.86	7.62	0.89
	<i>with</i>	51.82	54.86	3.05	1.64
CMR25-092		0.00	9.14	9.14	0.22
RC					
TD=74.68m		13.72	73.15	59.44	0.29
End in Min: Yes	<i>including</i>	16.76	33.53	16.76	0.44
	<i>with</i>	19.81	32.00	12.19	0.46
	<i>and including</i>	44.20	48.77	4.57	0.65
	<i>and including</i>	65.53	73.15	7.62	0.30
CMR25-093		0.00	60.96	60.96	0.42
RC	<i>including</i>	10.67	15.24	4.57	0.64
TD=60.96m	<i>and including</i>	27.43	32.00	4.57	0.43
End in Min: Yes	<i>and including</i>	47.24	60.96	13.72	1.01
	<i>with</i>	53.34	60.96	7.62	1.59
CMR25-096		6.10	68.58	62.48	0.34
RC	<i>including</i>	7.62	28.96	21.34	0.58
TD=106.68m	<i>with</i>	7.62	13.72	6.10	0.92
End in Min: Yes					
		82.30	106.68	24.38	0.25
	<i>including</i>	102.11	103.63	1.52	1.04

*All reported intercepts are reported as downhole lengths, as insufficient data exists to determine true widths. Select composites utilizing 0.10, 0.30 or 0.50 g/t Au cut-off with a maximum 3.2m continuous (two sample) below the cut-off inclusion.

Table 1. Significant Results of Chicken Mountain RC Drill Assay Results RC Line 3*

Hole No.		From (m)	To (m)	Length (m)	Au g/t
CMR25-094		3.05	89.92	86.87	0.19
RC	<i>including</i>	6.10	12.19	6.10	0.41
TD=89.92m	<i>and including</i>	35.05	42.67	7.62	0.30
End in Min: Yes	<i>and including</i>	86.87	89.92	3.05	0.49
CMR25-095		1.52	9.14	7.62	0.19
RC					
TD=53.34m		13.72	24.38	10.67	0.26
End in Min: Yes	<i>including</i>	13.72	15.24	1.52	0.85
		32.00	53.34	21.34	0.15
CMR25-097		16.76	39.62	22.86	0.21
RC					
TD=85.34m		44.20	83.82	39.62	0.37
End in Min: Yes	<i>including</i>	51.82	54.86	3.05	0.36
	<i>and including</i>	57.91	77.72	19.81	0.49
	<i>with</i>	57.91	73.15	15.24	0.53
CMR25-100		3.05	118.87	115.82	0.49
RC	<i>including</i>	18.29	54.86	36.58	0.95
TD=121.92m	<i>with</i>	21.34	30.48	9.14	1.09
End in Min: No	<i>and with</i>	39.62	54.86	15.24	1.27
	<i>and including</i>	60.96	71.63	10.67	0.69
CMR25-102		15.24	83.82	68.58	0.35
RC	<i>including</i>	18.29	32.00	13.72	0.56
TD=83.82	<i>with</i>	27.43	32.00	4.57	1.12
End in Min: Yes	<i>and including</i>	38.10	45.72	7.62	0.47
	<i>and including</i>	57.91	60.96	3.05	1.45
CMR25-104		9.14	38.10	28.96	0.27
RC	<i>including</i>	9.14	22.86	13.72	0.38
TD=90.01					
End in Min: Yes		42.67	96.01	53.34	0.40
	<i>including</i>	54.86	77.72	22.86	0.66
	<i>with</i>	57.91	64.01	6.10	1.20

	<i>with</i>	57.91	60.96	3.05	1.79
CMR25-105		7.62	59.44	51.82	0.29
RC	<i>including</i>	9.14	13.72	4.57	0.46
TD=59.44m	<i>and including</i>	21.34	27.43	6.10	0.80
End in Min: Yes	<i>with</i>	24.38	25.91	1.52	2.05
	<i>and including</i>	50.29	54.86	4.57	0.46
CMR25-106		12.19	35.05	22.86	0.62
RC	<i>including</i>	19.81	35.05	15.24	0.82
TD=35.05	<i>with</i>	24.38	35.05	10.67	0.95
End in Min: Yes					

*All reported intercepts are reported as downhole lengths, as insufficient data exists to determine true widths. Select composites utilizing 0.10, 0.30 or 0.50 g/t Au cut-off with a maximum 3.2m continuous (two sample) below the cut-off inclusion.

Table 1. Significant Results of Chicken Mountain RC Drill Assay Results RC Line 4*

Hole No.		From (m)	To (m)	Length (m)	Au g/t
CMR25-098		4.57	60.96	56.39	0.41
RC	<i>including</i>	28.96	44.20	15.24	1.05
TD=79.25m	<i>with</i>	36.58	42.67	6.10	2.09
End in Min: Yes	<i>and including</i>	57.91	60.96	3.05	0.76
		74.68	99.06	24.38	0.39
	<i>including</i>	76.20	80.77	4.57	0.47
	<i>and including</i>	94.49	96.01	1.52	2.70
CMR25-099		3.05	68.58	65.53	0.25
RC	<i>including</i>	13.72	15.24	1.52	1.28
TD=83.82m	<i>and including</i>	44.20	51.82	7.62	0.65
End in Min: Yes	<i>with</i>	50.29	51.82	1.52	1.95
	<i>and including</i>	57.91	64.01	6.10	0.40
		74.68	83.82	9.14	0.36
	<i>including</i>	80.77	82.30	1.52	0.73
CMR25-101		6.10	36.58	30.48	0.17
RC	<i>including</i>	18.29	19.81	1.52	0.54
TD=109.73m					
End in Min: No		48.77	64.01	15.24	0.15

		70.10	74.68	4.57	1.21
		97.54	106.68	9.14	0.11
CMR25-103		39.62	42.67	3.05	0.18
RC					
TD=106.68m		47.24	57.91	10.67	0.11
End in Min: Yes					
		62.48	70.10	7.62	0.11
		88.39	92.96	4.57	0.11
		102.11	106.68	4.57	0.31

*All reported intercepts are reported as downhole lengths, as insufficient data exists to determine true widths. Select composites utilizing 0.10, 0.30 or 0.50 g/t Au cut-off with a maximum 3.2m continuous (two sample) below the cut-off inclusion.

Table 2. Significant Summary of Chicken Mountain Core Drill Assay Results*

Hole No.		From (m)	To (m)	Length (m)	Au g/t
CMD25-027		7.00	12.00	5.00	0.12
Core					
TD=322.17m		17.00	19.00	2.00	0.28
End in Min: Yes					
		29.00	38.00	9.00	0.30
	<i>including</i>	29.00	34.00	5.00	0.45
		42.00	47.00	5.00	0.22
		52.00	60.00	8.00	0.72
	<i>including</i>	59.00	60.00	1.00	4.61
		65.00	183.00	118.00	0.52
	<i>including</i>	66.00	82.00	16.00	0.50
	<i>with</i>	66.00	79.00	13.00	0.52
	<i>and including</i>	91.00	174.00	83.00	0.61
	<i>with</i>	100.00	127.00	27.00	0.71
	<i>and with</i>	147.00	153.00	6.00	1.15
	<i>and with</i>	161.00	174.00	13.00	1.07
		189.00	223.00	34.00	0.41

	<i>including</i>	196.00	203.00	7.00	1.14
	<i>and including</i>	211.00	217.00	6.00	0.30
		227.00	322.17	95.17	0.74
	<i>including</i>	232.00	247.00	15.00	0.49
	<i>with</i>	235.00	239.00	4.00	1.08
	<i>and including</i>	255.00	258.00	3.00	0.86
	<i>and including</i>	263.00	272.00	9.00	1.85
	<i>and including</i>	276.00	292.00	16.00	1.77
	<i>with</i>	282.00	292.00	10.00	2.65
	<i>with</i>	282.00	287.00	5.00	4.79
	<i>and including</i>	306.00	320.00	14.00	0.54
	<i>with</i>	306.00	316.00	10.00	0.64
CMD25-029		0.00	107.00	107.00	0.25
Core	<i>including</i>	69.00	94.00	25.00	0.35
TD=321.56	<i>with</i>	76.00	84.00	8.00	0.42
End in Min: Yes	<i>and including</i>	99.00	107.00	8.00	0.39
	<i>with</i>	99.00	105.00	6.00	0.42
		112.00	121.00	9.00	0.30
		125.00	304.00	179.00	0.45
	<i>including</i>	128.00	144.00	16.00	0.29
	<i>and including</i>	153.00	174.00	21.00	0.37
	<i>with</i>	170.00	174.00	4.00	0.60
	<i>and including</i>	184.00	198.00	14.00	0.43
	<i>with</i>	186.00	192.00	6.00	0.46
	<i>and including</i>	204.00	253.00	49.00	0.83
	<i>with</i>	206.00	236.00	30.00	0.87
	<i>and with</i>	242.00	251.00	9.00	1.21
	<i>and including</i>	275.00	288.00	13.00	0.65
	<i>with</i>	278.00	282.00	4.00	1.39
		308.00	321.56	14.00	0.17
CMD25-032		1.70	83.00	81.30	0.42
Core	<i>including</i>	6.00	35.00	29.00	0.43
TD=271.76m	<i>with</i>	7.00	22.56	15.56	0.56

End in Min: No	<i>and with</i>	16.00	22.56	6.56	0.82
	<i>and including</i>	45.00	47.00	2.00	0.53
	<i>and including</i>	53.00	62.00	9.00	0.85
	<i>with</i>	54.00	59.00	5.00	1.24
	<i>and including</i>	71.00	78.00	7.00	0.90
		87.00	91.00	4.00	0.24
		105.00	182.00	77.00	0.45
	<i>including</i>	120.00	126.00	6.00	0.43
	<i>and including</i>	131.00	152.00	21.00	0.67
	<i>with</i>	131.00	141.00	10.00	1.04
	<i>and including</i>	156.00	182.00	26.00	0.51
	<i>with</i>	163.00	177.00	14.00	0.64
		224.00	230.00	6.00	0.27
		236.00	249.00	13.00	1.04
	<i>including</i>	241.00	249.00	8.00	1.62
CMD25-034		3.00	41.00	38.00	0.33
Core	<i>including</i>	3.00	15.00	12.00	0.46
TD=279.20m	<i>and including</i>	24.00	35.00	11.00	0.42
End in Min: Yes					
		46.00	86.00	40.00	0.25
	<i>including</i>	84.00	86.00	2.00	1.08
		95.00	109.00	14.00	0.34
	<i>including</i>	97.00	106.00	9.00	0.43
		117.00	271.00	154.00	0.25
	<i>including</i>	129.00	131.00	2.00	1.60
	<i>and including</i>	184.00	187.00	3.00	0.76
	<i>and including</i>	193.00	194.00	1.00	1.08
	<i>and including</i>	204.00	206.00	2.00	0.56
	<i>and including</i>	213.00	227.00	14.00	0.87
	<i>with</i>	215.00	224.00	9.00	1.16

*All reported intercepts are reported as downhole lengths, as insufficient data exists to determine true widths. Select composites utilizing 0.10, 0.30 or 0.50 g/t Au cut-off with a maximum 3.2m continuous below cut-off inclusion.