

Table 1. Black Creek RC Drill Assay Results RC Line 1*

Hole No.		From (m)	To (m)	Length (m)	Au g/t
CMR25-055		1.52	3.05	1.52	0.42
RC					
TD=41.15m					
End in Min: No					
CMR25-056		0.00	13.72	13.72	0.23
RC	including	0.00	6.10	6.10	0.31
TD=60.96m		42.67	57.91	15.24	0.39
End in Min: Yes	including	44.20	48.77	4.57	0.76
CMR25-057		16.76	67.06	50.29	0.46
RC	including	21.34	45.70	24.36	0.68
TD=71.63m	with	24.38	30.48	6.10	1.81
End in Min: No	and including	51.82	56.39	4.57	0.56
CMR25-058		0.00	24.38	24.38	0.50
RC	including	3.05	19.81	16.76	0.65
TD=27.43m	with	3.05	10.67	7.62	0.91
End in Min: No					
CMR25-059		0.00	57.91	57.91	3.80
RC	including	0.00	48.77	48.77	4.50
TD=60.96m	with	21.34	45.72	24.38	7.79
End in Min: No	with	39.62	45.72	6.10	15.19
CMR25-062		3.05	36.58	33.53	0.51
RC	including	16.76	36.58	19.81	0.80
TD=94.49m	with	16.76	19.81	3.05	1.24
End in Min: No	and with	27.43	36.58	9.14	1.14
		48.77	54.86	6.10	0.11
		60.96	77.72	16.76	0.23
	including	60.96	68.58	7.62	0.38
CMR25-063		0.00	9.14	9.14	0.14
RC					

TD=79.25m		18.29	33.53	15.24	0.35
End in Min: Yes	including	25.91	30.48	4.57	0.87
		59.44	60.96	1.52	0.25
		67.06	68.58	1.52	0.84
		74.68	79.25	4.57	0.76
	including	76.20	77.72	1.52	1.68
CMR25-064		6.10	7.62	1.52	0.13
RC					
TD=100.58m		13.72	15.24	1.52	0.11
End in Min: No					
		79.25	86.87	7.62	0.09
CMR25-065		32.00	35.05	3.05	0.59
RC					
TD=85.34m		80.77	82.30	1.52	0.11
End in Min: No					

*All reported intercepts are reported as downhole lengths, as insufficient data exists to determine true widths. Select composites utilizing 0.10, 0.30 or 0.50 g/t Au cut-off with a maximum 3.2m continuous (two sample) below the cut-off inclusion.

Table 1. Jam RC Drill Assay Results RC Line 2*

Hole No.		From (m)	To (m)	Length (m)	Au g/t
CMR25-060		0.00	13.72	13.72	0.25
RC	including	6.10	9.14	3.05	0.69
TD=99.06m					
End in Min: No		19.81	41.15	21.34	0.19
		45.72	50.29	4.57	0.15
		53.34	73.15	19.81	0.28
	including	54.86	56.39	1.52	1.26
	and including	64.01	65.53	1.52	1.09
CMR25-061		0.00	9.14	9.14	0.59
RC	including	4.57	7.62	3.05	1.52
TD=103.63m					

End in Min: Yes		15.24	19.81	4.57	0.28
		25.91	33.53	7.62	0.09
		39.62	44.20	4.57	1.09
	including	39.62	42.67	3.05	1.48
		54.86	79.25	24.38	0.28
	including	56.39	57.91	1.52	1.74
		73.15	74.68	1.52	1.12
		86.87	88.39	1.52	3.56
		99.06	102.11	3.05	0.34

*All reported intercepts are reported as downhole lengths, as insufficient data exists to determine true widths. Select composites utilizing 0.10, 0.30 or 0.50 g/t Au cut-off with a maximum 3.2m continuous (two sample) below the cut-off inclusion.

Table 1. Alpha Bowl RC Drill Assay Results RC Line 3*

Hole No.		From (m)	To (m)	Length (m)	Au g/t
CMR25-123		1.52	16.76	15.24	0.53
RC	including	1.52	6.10	4.57	0.72
TD=188.98m	and including	15.24	16.76	1.52	2.24
End in Min: Yes					
		27.43	28.96	1.52	0.67
		60.96	62.48	1.52	1.09
		74.68	88.39	13.72	1.51
	including	79.25	85.34	6.10	3.08
	with	79.25	80.77	1.52	10.60
		102.11	106.68	4.57	0.18
		112.78	120.40	7.62	0.65
	including	112.78	115.82	3.05	1.42
		131.06	138.68	7.62	0.22

		161.54	169.16	7.62	0.25
	including	161.54	164.59	3.05	0.50
		185.93	188.98	3.05	1.15
CMR25-124		3.05	19.81	16.76	0.63
RC	including	18.29	19.81	1.52	5.57
TD=137.16m					
End in Min: No		30.48	41.15	10.67	0.25
		73.15	76.20	3.05	0.17
		89.92	96.01	6.10	1.05
	including	92.96	94.49	1.52	3.47
		105.16	117.35	12.19	0.62
	including	105.16	106.68	1.52	1.01
	and including	112.78	115.82	3.05	1.74
		121.92	134.11	12.19	0.12
CMR25-125		10.67	12.19	1.52	0.52
RC					
TD=132.59m		18.29	19.81	1.52	0.42
End in Min: No					
		28.96	32.00	3.05	0.23
		48.77	50.29	1.52	0.90
		97.54	102.11	4.57	0.13
CMR25-126		16.76	18.29	1.52	1.18
RC					
TD=187.45m		64.01	71.63	7.62	0.21
End in Min: No					
		79.25	80.77	1.52	1.19
		88.39	94.49	6.10	0.13

		124.97	128.02	3.05	1.54

*All reported intercepts are reported as downhole lengths, as insufficient data exists to determine true widths. Select composites utilizing 0.10, 0.30 or 0.50 g/t Au cut-off with a maximum 3.2m continuous (two sample) below the cut-off inclusion.

Table 1. Golden Apex RC Drill Assay Results RC Line 4*

Hole No.		From (m)	To (m)	Length (m)	Au g/t
CMR25-053		79.25	82.30	3.05	0.80
RC	including	80.77	82.30	1.52	1.31
TD=121.92m					
End in Min: No		86.87	89.92	3.05	0.36
CMR25-054		77.72	79.25	1.52	0.11
RC					
TD=79.25m					
End in Min: No					

*All reported intercepts are reported as downhole lengths, as insufficient data exists to determine true widths. Select composites utilizing 0.10, 0.30 or 0.50 g/t Au cut-off with a maximum 3.2m continuous (two sample) below the cut-off inclusion.

Table 2. Alpha Bowl Core Drill Assay Results*

Hole No.		From (m)	To (m)	Length (m)	Au g/t
CMD25-033		6.00	15.00	9.00	0.88
DD	including	6.00	8.00	2.00	3.50
TD=300.53m	with	7.00	8.00	1.00	6.39
End in Min: No					
		27.00	31.00	4.00	0.43
	including	30.00	31.00	1.00	1.55
		42.00	44.00	2.00	0.41
		49.00	61.00	12.00	0.28
	including	50.00	51.00	1.00	1.90
		74.00	85.00	11.00	0.53
	including	74.00	81.00	7.00	0.74
	with	74.00	75.00	1.00	3.40
	and with	80.00	81.00	1.00	1.33
		97.00	110.00	13.00	0.25

	including	104.00	105.00	1.00	1.87
		118.00	126.00	8.00	0.28
	including	118.00	119.00	1.00	1.54
		150.00	151.00	1.00	1.13
		172.00	178.00	6.00	0.67
	including	175.00	178.00	3.00	1.08
		182.00	184.00	2.00	0.24
		189.00	200.00	11.00	0.14
		229.00	234.00	5.00	0.22
		240.00	242.00	2.00	0.25
CMD25-035		26.00	49.00	23.00	0.71
DD	including	27.00	28.00	1.00	12.26
TD=309.98m					
End in Min: No		58.00	62.00	4.00	0.48
	including	61.00	62.00	1.00	1.68
		92.00	98.00	6.00	0.56
	including	92.00	94.00	2.00	1.20
		107.00	112.00	5.00	0.18
	including	111.00	112.00	1.00	0.71
		127.00	138.00	11.00	0.29
	including	127.00	134.00	7.00	0.42
	with	131.00	132.00	1.00	1.13
		145.00	154.00	9.00	0.25
	including	150.00	154.00	4.00	0.36
		163.00	185.00	22.00	0.37
	including	163.00	177.00	14.00	0.49

	with	173.00	177.00	4.00	0.82
		205.00	216.00	11.00	0.09
		220.00	238.00	18.00	0.21
	including	222.00	224.00	2.00	0.71
		242.00	244.00	2.00	0.20
		253.00	256.00	3.00	0.36
		263.00	268.00	5.00	0.22
		277.00	283.00	6.00	0.15
		297.00	305.00	8.00	0.42
	including	297.00	305.00	8.00	0.34
	with	297.00	298.00	1.00	1.79

*All reported intercepts are reported as downhole lengths, as insufficient data exists to determine true widths. Select composites utilizing 0.10, 0.30 or 0.50 g/t Au cut-off with a maximum 3.2m continuous below cut-off inclusion.

Table 2. Golden Apex Core Drill Assay Results*

Hole No.		From (m)	To (m)	Length (m)	Au g/t
CMD25-006		39.01	45.00	5.99	0.23
DD	including	39.01	42.00	2.99	0.41
TD=264.87m					
End in Min: No		74.10	78.16	4.06	0.24
		89.00	92.94	3.94	0.54
	including	89.00	90.00	1.00	1.83
		101.98	106.07	4.09	0.12
		148.08	150.27	2.19	0.11
		162.40	164.48	2.08	0.14
		207.20	208.23	1.03	0.43

		233.10	234.10	1.00	0.56
--	--	--------	--------	------	-------------

*All reported intercepts are reported as downhole lengths, as insufficient data exists to determine true widths. Select composites utilizing 0.10, 0.30 or 0.50 g/t Au cut-off with a maximum 3.2m continuous below cut-off inclusion.